



Van Dam-class

TECHNICAL INFORMATION



Van Dam - 2.800 DWCC

Single-decker, open hatch, fully box, double skinned incl. 1 movable bulkhead.

GENERAL PARTICULARS

Ships	Elise, Lianne, Sylvia
Shipyard	Ustamehmetoglu Karadeniz
Classification	Rina International
Class notations	C general cargo ship - double side-skin -equipped for carriage of containers ; unrestricted navigation AUT-UMS, ICE CLASS IC
Ice class	1C
Port of registry	St. Johns
Flag	Antigua and Barbuda
Year	2007 - 2008

MAIN PARTICULARS

DWAT	3.036 mt
DWCC summer	2.810 mt
Lenght over all	79,94 m
Breadth over all	12,50 m
Draft summer	4,740 m
Draft in ballast	2,800 m
Depth (moulded)	6,10 m
GT	1.917
NT	958

ENGINES

Main engine	Caterpillar MaK 6M20, 1.140 kW
Bow thruster	125 kW

HOLDS & HATCHES

Holds	1 Hold / 1 Hatch. Fully open hatch and double skinned.
Hatches	Steel pontoon hatches

CARGO CAPACITIES

Hold dimensions	54,60 x 10,27 x 6,39m
Total intake	125.000 cbft grain/bale

BULK HEADS AND TWEEN DECKS

Vessel is equipped with 1 movable bulkhead, movable by means of hatch cover gantry crane.

Strengths

Max pressure tanktop	12,00 mt/m ²
Max pressure weatherdeck	1,65 mt/m ²

Uniform

Max pressure tanktop	12,00 mt/m ²
Max pressure weatherdeck	1,65 mt/m ²








Wagenborg Shipping

Marktstraat 10, 9934 CK Delfzijl, Netherlands | P.O. Box 14, 9930 AA Delfzijl, Netherlands
T +31 596 636 911 | E chartering@wagenborg.com | wagenborg.com



Van Dam-class - stowage plan



Wagenborg Shipping

Marktstraat 10, 9934 CK Delfzijl, Netherlands | P.O. Box 14, 9930 AA Delfzijl, Netherlands
T +31 596 636 911 | E chartering@wagenborg.com | wagenborg.com