



Saimax-class

TECHNICAL INFORMATION



Saimax-class - 3.400 DWCC

Open hatch fully Box, double skinned, Saimaa trader, NAABSA fitted

GENERAL PARTICULARS

Ships	Adamas, Andrea, Carolina, Denborg, Larixborg, Laurierborg, Lindeborg, Marietje Hester, Plataanborg, Sparborg, Susanne, Vlierborg
Shipyard	Scheepswerf Peters B.V
Classification	Bureau Veritas
Class notations	I HULL MACH General cargo ship -heavycargo (147 kN/m ²) -heavycargo Unrestricted navigation YOUNG ICE 1 , AUT-UMS , STRENGTHBOTTOM
Ice class	-
Port of registry	Delfzijl
Flag	Dutch
Year	2005 - 2010

MAIN PARTICULARS

DWAT	3.675	mt
DWCC summer	3.400	mt
Lenght over all	82,50	m
Breadth over all	12,50	m
Draft summer	5,340	m
Draft in ballast	3,000	m
Depth (moulded)	8,00	m
GT	2.409	
NT	993	

ENGINES

Main engine	Caterpillar 3512B-HD-DI-TA, 1.249 kW
Bow thruster	220 kW

HOLDS & HATCHES

Holds	1 Hold / 1 Hatch. Fully open hatch, no understow, fully box and double skinned.
Hatches	Steel pontoon hatches

CARGO CAPACITIES

Hold dimensions	54,60 x 10,30 x 8,15m
Total intake	160.000 cbft grain/bale

BULK HEADS AND TWEEN DECKS

Vessel is equipped with 2 movable bulkheads, movable by means of hatch cover gantry crane.

Strengths

Max pressure tanktop	15,00 mt/m ²
Max pressure weatherdeck	1,60 mt/m ²

Uniform

Max pressure tanktop	15,00 mt/m ²
Max pressure weatherdeck	1,60 mt/m ²




Wagenborg Shipping

Marktstraat 10, 9934 CK Delfzijl, Netherlands | P.O. Box 14, 9930 AA Delfzijl, Netherlands
T +31 596 636 911 | E chartering@wagenborg.com | wagenborg.com



Saimax-class - stowage plan



Wagenborg Shipping

Marktstraat 10, 9934 CK Delfzijl, Netherlands | P.O. Box 14, 9930 AA Delfzijl, Netherlands
T +31 596 636 911 | E chartering@wagenborg.com | wagenborg.com